

# MEASLES REPORT

This report includes cases of measles notified in EpiSurv up to midnight 20 January 2012. Data were extracted from EpiSurv at 10 am, 24 January 2012.


In the last week ending 13 January 2012, 10 new measles cases (13 cases the previous week) were notified from the following DHBs: Counties Manukau (5 cases), Capital and Coast (2 cases), Waitemata, Auckland, and Waikato (1 case each). Of these notifications, seven were confirmed, one is probable and two are still under investigation. There have been 35 measles cases notified in EpiSurv since 31 December 2011<sup>1</sup> (compared to no cases for the same period in 2011 and 2010). Of the total notifications reported in 2012, 25 were confirmed cases, six are probable cases and four cases are still under investigation. Cases were reported mainly from the Auckland region (77.1% of total cases), Capital and Coast (8.6%), West Coast and Canterbury (5.7%).

This report incorporates the temporal distribution of cases, since 31 December 2011, and the distribution of cases by age, ethnicity (prioritised), and district health board (DHB), as well as a summary of confirmed cases by immunisation status. The case classification used in this report is specified in the appendix.

## Temporal distribution

Weekly measles notifications for 2011-2012 are shown in Figure 1. There have been 10 cases notified in the last week (13 the previous week)<sup>2</sup>. Notifications have been steadily decreasing since the peak in the week ending 11 November 2011. Of the 35 notifications reported since 31 December 2011, two have been hospitalised. No deaths have been reported.

**Figure 1 : Distribution of measles notifications by week reported from 1 January 2011**




<sup>1</sup> Note: EpiSurv surveillance week 1/2012 started on 31 December 2011. Cases notified on this date have been included in the 2012 analysis.

<sup>2</sup> The total number of notifications may change as cases are investigated further and some are reclassified 'not a case'.

Monthly measles notifications for 2005-2011 are shown in Figure 2. Notifications remained consistently low up to the end of 2008 but increased from January 2009 before peaking in July 2009 due to an outbreak centred in the Canterbury region. Although notifications decreased through 2010, in the last year a substantial increase with a peak in November 2011 has been observed.

**Figure 2: Measles notifications by month reported (1 January 2005 to 31 December 2011)**



The onset dates were recorded for eight (80.0%) of the 10 measles cases notified in the last week, these ranged from 5 to 19 January 2012. Although reporting of onset dates is not always complete, 25 (71.4%) of 35 notifications reported in 2012 have onset dates available.

### Age and ethnicity

The age and ethnicity distributions of measles cases are shown in Table 1 and 2. Of the 25 confirmed cases with a known age, 15 (60.0%) were aged under 10 years (including six cases who were aged under 15 months), six (24.0%) were aged 10 to 19 years and four (16.0%) were aged 20 years or older.

Of the 25 confirmed cases, 12 (48.0%) were aged 12 months to 12 years and four (16.0%) were aged 13 years to 20 years.

**Table 1: Age distribution of measles cases and hospitalisations, 2012**

Age Group	14-20 Jan 2012					Cumulative total since 31 Dec 2011				
	Total	Conf	Prob	Other	Hosp	Total	Conf	Prob	Other	Hosp
<15 mths	4	2	0	2	0	11	6	2	3	0
15 mths-3yrs	3	2	1	0	0	7	6	1	0	0
4-9 yrs	0	0	0	0	0	3	3	0	0	0
10-19 yrs	2	2	0	0	0	9	6	3	0	0
20+ yrs	1	1	0	0	0	5	4	0	1	0
Unknown	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>10</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>35</b>	<b>25</b>	<b>6</b>	<b>4</b>	<b>0</b>
12 mths-12 yrs	4	3	1	0	0	14	12	2	0	0
13 yrs-20 yrs	1	1	0	0	0	6	4	2	0	2

**Conf:** confirmed, **Prob:** probable, **Hosp:** hospitalised

Of the 25 confirmed cases reported in 2012, 23 had a known ethnicity. Of these, 11 (47.8%) were Pacific Peoples, seven (30.4%) were Māori, four (17.4%) were European, and one (6.3%) was in the "Other" ethnic groups (Table 2). Ethnicity was recorded for all of the seven confirmed cases reported in the last week, these were distributed as follows: Pacific Peoples (4 cases), Māori (2 cases), European (1 case), and. Hospitalisations by ethnicity are also depicted in Table 2.

**Table 2 : Ethnic (prioritised) distribution of measles cases and hospitalisations, 2012**

Ethnicity (prioritised)	14-20 Jan 2012					Cumulative total since 31 Dec 2011				
	Total	Conf	Prob	Other	Hosp	Total	Conf	Prob	Other	Hosp
Māori	2	2	0	0	0	10	7	3	0	1
Pacific Peoples	6	4	1	1	0	13	11	1	1	1
Other	1	0	0	1	0	2	1	0	1	0
European	1	1	0	0	0	8	4	2	2	0
Unknown	0	0	0	0	0	2	2	0	0	0
<b>Total</b>	<b>10</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>35</b>	<b>25</b>	<b>6</b>	<b>4</b>	<b>2</b>

### Geographic distribution

Of the 35 cases reported since 31 December 2011, 25 were confirmed including 15 (60.0%) from Counties Manukau, four (16.0%) from Waitemata, three (12.0%) from Capital and Coast, two (8.0%) from Auckland and one (4.0%) from Waikato DHBs. (Table 3). Counties Manukau DHB has reported the highest number of cases since 31 December 2011 representing a shift from last year (mid to late 2011) where Auckland followed by Waitemata DHBs reported the majority of cases. The seven confirmed cases in the last week were reported from Counties Manukau (4 cases), Capital and Coast (2 cases) and Waikato (1 case) DHBs.

**Table 3: Geographical distribution of measles cases and hospitalisations, 2012**

DHB	14-20 Jan 2012					Cumulative total since 31 Dec 2011				
	Total	Conf	Prob	Other	Hosp	Total	Conf	Prob	Other	Hosp
Northland	0	0	0	0	0	0	0	0	0	0
Waitemata	1	0	0	1	0	6	4	1	1	0
Auckland	1	0	0	1	0	4	2	1	1	1
Counties Manukau	5	4	1	0	0	17	15	2	0	0
Waikato	1	1	0	0	0	1	1	0	0	0
Lakes	0	0	0	0	0	0	0	0	0	0
Bay of Plenty	0	0	0	0	0	0	0	0	0	0
Tairāwhiti	0	0	0	0	0	0	0	0	0	0
Taranaki	0	0	0	0	0	0	0	0	0	0
Hawke's Bay	0	0	0	0	0	0	0	0	0	0
Whanganui	0	0	0	0	0	0	0	0	0	0
MidCentral	0	0	0	0	0	0	0	0	0	0
Hutt Valley	0	0	0	0	0	0	0	0	0	0
Capital and Coast	2	2	0	0	0	3	3	0	0	1
Wairarapa	0	0	0	0	0	0	0	0	0	0
Nelson Marlborough	0	0	0	0	0	0	0	0	0	0
West Coast	0	0	0	0	0	2	0	0	2	0
Canterbury	0	0	0	0	0	2	0	2	0	0
South Canterbury	0	0	0	0	0	0	0	0	0	0
Southern	0	0	0	0	0	0	0	0	0	0
<b>New Zealand Total</b>	<b>10</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>35</b>	<b>25</b>	<b>6</b>	<b>4</b>	<b>2</b>

## Immunisation status

Table 4 shows the immunisation status of the confirmed cases reported in the last week, as recorded in EpiSurv. This was known for three (42.9%) of the seven confirmed measles cases reported. Of these, three were not vaccinated including two cases aged less than 15 months and therefore not eligible for vaccination.

**Table 4: Immunisation status of measles cases (confirmed) notified last week**

Age Group	Total cases	One dose	Two doses	Vaccinated (no dose info)	Not vaccinated	Unknown
<15mths	2	0	0	0	2	0
15mths-3yrs	2	0	0	0	1	1
4-9 yrs	0	0	0	0	0	0
10-19 yrs	2	0	0	0	0	2
20+ yrs	1	0	0	0	0	1
Unknown	0	0	0	0	0	0
<b>Total</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>4</b>

Of the 25 confirmed cases reported since 31 December 2011, 18 (72.0%) had a known vaccination status. Of these 18 cases, 13 were not vaccinated including six cases aged less than 15 months and therefore not eligible for vaccination. Three cases had received one dose of vaccine and a further two cases had completed their second dose. (Table 5).

**Table 5: Immunisation status of measles cases (confirmed) notified since 31 December 2011**

Age Group	Total cases	One dose	Two doses	Vaccinated (no dose info)	Not vaccinated	Unknown
<15mths	6	0	0	0	6	0
15mths-3yrs	6	2	0	0	3	1
4-9 yrs	3	0	1	0	2	0
10-19 yrs	6	1	1	0	1	3
20+ yrs	4	0	0	0	1	3
Unknown	0	0	0	0	0	0
<b>Total</b>	<b>25</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>13</b>	<b>7</b>

## Appendix

### Case classification:

<b>Confirmed</b>	A clinically compatible illness that is epidemiologically linked to a confirmed case or is laboratory confirmed
<b>Probable</b>	A clinically compatible illness with all of the following symptoms: <ul style="list-style-type: none"> <li>• a fever <math>\geq 38^{\circ}\text{C}</math></li> <li>• a generalised maculopapular rash lasting three or more days</li> <li>• cough, or coryza, or conjunctivitis, or Koplik spots</li> </ul>
<b>Other</b>	Status recorded as <i>under investigation</i> or cases where there was insufficient information to define the status

This report will be available online from [www.surv.esr.cri.nz](http://www.surv.esr.cri.nz)