

B. Table of disease notifications and rates

Cases and rates of notifiable diseases in New Zealand during 2001 and 2002

Disease	Notifications 2002*			Notifications 2001		
	Cases	Rate	95% CI	Cases	Rate	95% CI
AIDS	17	0.5	[0.3, 0.7]	26	0.7	[0.5, 1.0]
Brucellosis	2	0.1	[0.0, 0.2]	0	0.0	[0.0, 0.1]
Campylobacteriosis	12489	334.2	[328.3, 340.0]	10145	271.5	[266.2, 276.7]
Cholera	1	0.0	[0, 0.1]	3	0.1	[0.0, 0.2]
Creutzfeldt-Jakob disease	3	0.1	[0, 0.2]	1	0.0	[0.0, 0.1]
Cryptosporidiosis	974	26.1	[24.4, 27.7]	1208	32.3	[30.5, 34.1]
Dengue fever	70	1.9	[1.5, 2.4]	93	2.5	[2.0, 3.0]
Diphtheria	1	0.0	[0.0, 0.1]	0	0.0	[0.0, 0.1]
Gastroenteritis ¹	1084	29.0	[27.3, 30.7]	940	25.2	[23.5, 26.8]
Giardiasis	1548	41.4	[39.4, 43.5]	1603	42.9	[40.8, 45]
Hib	3	0.0	[0.0, 0.2]	11	0.3	[0.1, 0.5]
Hepatitis A	108	2.9	[2.3, 3.4]	61	1.6	[1.2, 2.1]
Hepatitis B ²	69	1.8	[1.4, 2.3]	56	1.5	[1.1, 1.9]
Hepatitis C ²	52	1.4	[1.0, 1.8]	59	1.6	[1.2, 2.0]
Hydatid disease	2	0.1	[0.0, 0.2]	7	0.2	[0.1, 0.4]
Lead absorption	90	2.4	[1.9, 3.0]	130	3.5	[2.9, 4.1]
Legionellosis	51	1.4	[1.0, 1.8]	46	1.2	[0.9, 1.6]
Leprosy	3	0.1	[0.0, 0.2]	3	0.1	[0.0, 0.2]
Leptospirosis	142	3.8	[3.2, 4.4]	105	2.8	[2.3, 3.3]
Listeriosis	19	0.5	[0.3, 0.5]	18	0.5	[0.3, 0.8]
Malaria	60	1.6	[1.2, 2.1]	54	1.4	[1.1, 1.9]
Measles	25	0.7	[0.4, 1.0]	83	2.2	[1.8, 2.8]
Meningococcal disease	557	14.9	[13.7, 16.1]	650	17.4	[16.1, 18.7]
Mumps	64	1.7	[1.3, 2.2]	56	1.5	[1.1, 1.9]
Paratyphoid	24	0.6	[0.4, 1.0]	32	0.9	[0.6, 1.2]
Pertussis	1071	28.7	[26.9, 30.4]	1334	35.7	[33.8, 37.6]
Rheumatic fever (acute)	87	2.3	[1.9, 2.9]	114	3.1	[2.5, 3.6]
Rickettsial disease	6	0.2	[0.1, 0.3]	5	0.1	[0.0, 0.3]
Ross River virus	1	0.0	[0.0, 0.1]	3	0.1	[0.0, 0.2]
Rubella	33	0.9	[0.6, 1.2]	30	0.8	[0.5, 1.1]
Salmonellosis	1870	50.0	[47.8, 52.3]	2417	64.7	[62.1, 67.3]
Shigellosis	112	3.0	[2.4, 3.6]	157	4.2	[3.5, 4.9]
Tetanus	1	0.0	[0.0, 0.1]	4	0.1	[0.0, 0.3]
Toxic (shell)fish poisoning	1	0.0	[0.0, 0.1]	2	0.1	[0.0, 0.2]
Tuberculosis	384	10.3	[9.2, 11.3]	373	10.0	[9.0, 11.0]
Typhoid	23	0.6	[0.4, 0.9]	27	0.7	[0.5, 1.1]
VTEC/STEC infection	73	2.0	[1.5, 2.5]	76	2.0	[1.6, 2.5]
Yersiniosis	476	12.7	[11.6, 13.9]	429	11.5	[10.4, 12.6]

* No cases of the following notifiable diseases were reported in 2002: anthrax, botulism, plague, poliomyelitis, rabies, cysticercosis, trichinosis, primary amoebic meningoencephalitis

¹ Cases of gastroenteritis from a common source or foodborne intoxication eg. staphylococcal intoxication

² Only acute cases of this disease are currently notifiable

D. Table of fatalities

Fatal cases of notifiable diseases in 2001 and 2002, according to EpiSurv

Disease	2001			2002		
	No. of fatal cases	Total notified cases	Case-fatality rate	No. of fatal cases	Total notified cases	Case-fatality rate
AIDS	12	26	-	5	17	-
Campylobacter	1	10145	0.01%	1	12489	0.008%
Gastroenteritis	0	940	0%	1	1084	0.09%
Creutzfeldt Jakob disease	1	1	100%	3	3	100%
<i>Haemophilus influenzae b</i>	1	11	9.1%	1	3	33.3%
Hepatitis B	1	56	1.8%	0	69	0%
Legionellosis	2	46	4.3%	3 ²	51	5.9%
Listeriosis	2 ¹	18	11.1%	3 ³	19	15.8%
Meningococcal disease	26	650	4.0%	18	557	3.2%
Pertussis	1	1334	0.07%	1	1071	0.09%
Salmonellosis	2	2417	0.1%	1	1870	0.05%
Tetanus	1	4	25%	0	1	0%
Tuberculosis disease	2	373	0.5%	6	384	1.6%
Total	52	-	-	43	-	-

¹ There was one fatality from perinatal listeriosis and one from non-perinatal listeriosis.

² One further death occurred in a laboratory-reported but non-notified case.

³ All three fatalities occurred in perinatal cases.

E. Table of notifiable diseases by year

Note: cell is blank if data unavailable

Disease	Source	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
AIDS	Notification				0	3	11	19	28	38	59	73	78	50	70	44	50	76	43	29	33	27	26	17
Campylobacteriosis	Notification	271	442	769	1251	1915	2390	2786	2921	2796	4187	3850	4148	5144	8101	7714	7442	7635	8924	11575	8161	8418	10145	12489
Cholera	Notification	1	0	0	0	0	0	0	2	0	0	5	0	0	0	2	2	0	0	1	1	0	3	1
Creutzfeldt-Jakob disease	Notification																	2	1	0	2	3	1	3
Cryptosporidiosis	Notification																	119	357	866	977	774	1208	974
Dengue fever	Notification	5	3	1	5	1	1	3	0	1	3	2	3	1	1	0	6	23	14	26	9	7	93	70
Gastroenteritis	Notification																	555	308	490	600	725	940	1084
Giardiasis	Notification																	1235	2127	2183	1793	1684	1603	1548
<i>H. influenzae</i> serotype b	Laboratory Notification								93	107	121	143	148	166	118	75	14	24	8	10	9	10	8	3
Hepatitis A	Notification	1649	1145	750	674	539	380	251	158	176	134	150	224	288	257	179	338	311	347	145	119	107	61	108
Hepatitis B	Notification	393	377	477	571	609	530	488	474	370	309	242	227	221	145	133	125	104	138	88	94	79	56	69
Hepatitis C (formerly non A or B)	Notification	5	3	7	20	29	31	17	18	20	13	11	25	89	91	79	88	59	92	102	96	80	59	52
Hydatid disease	Notification	7	7	11	9	6	4	5	2	2	0	4	0	4	4	1	5	3	2	2	8	3	7	2
Influenza	Sentinel isolates	33	12	18	30	9	6	8	18	136	119	343	183	317	423	441	521	673	743	127	425	73	313	241
Legionellosis	Notification Laboratory	5	3	9	25	48	87	95	91	62	17	20	14	11	24	66	33	36	63	43	51	61	46	51
Leprosy	Notification	8	10	3	7	9	5	7	8	2	4	1	4	5	3	1	1	10	3	3	10	4	3	3
Leptospirosis	Notification Laboratory	582	325	179	169	201	174	139	129	99	90	117	106	70	116	70	65	56	52	75	59	98	105	142
Listeriosis	Notification	32	18	15	5	6	6	6	12	7	10	16	26	16	11	8	13	10	35	17	19	22	18	19
Malaria	Notification	65	39	41	43	48	44	31	22	25	27	32	39	29	58	34	41	107	65	73	46	111	54	60
Measles	Notification Laboratory	8	7	1	4	11	145	135	26	5	5	7	355	53	4	4	15	25	1220	164	107	64	83	25
Meningococcal disease	Notification	26	25	15	38	34	107	190	179	83	49	53	71	153	202	208	394	473	613	440	505	480	650	557
Mumps	Notification Laboratory	7	5	22	2	0	61	132	28	5	105	26	23	10	25	245	66	76	90	85	56	50	56	64
Paratyphoid	Laboratory									23	13	30	22	13	23	30	24	20	25	19	17	23	33	24
Petussis	Notification																	1022	284	153	1046	4140	1334	1071
Rheumatic fever (initial attack)	Notification							12	215	153	148	90	97	70	81	98	88	110	95	65	71	136	114	87
Rubella	Notification Laboratory	134	44	12	62	155	120	30	50	95	114	168	81	27	244	104	1581	306	80	53	35	26	30	33
Salmonellosis	Notification	799	845	1261	995	1138	1234	1335	1140	1128	1860	1619	1244	1239	1340	1522	1334	1141	1177	2069	2077	1796	2417	1870
Shigellosis	Notification	228	173	215	173	127	192	189	143	145	137	197	152	124	128	185	191	167	117	122	147	115	157	112
Tetanus	Notification	2	4	5	5	7	3	3	4	1	0	0	0	8	2	2	2	3	0	2	6	1	4	1
Tuberculosis	Notification	474	448	437	415	404	359	320	296	295	303	348	335	327	323	352	391	352	321	365	446	354	373	384
Typhoid	Notification	15	12	11	5	2	6	28	4	15	17	7	9	11	14	24	21	15	16	31	9	21	27	23
VTEC/STEC infection	Notification														3	3	6	7	12	48	64	67	76	73
Yersiniosis	Notification																	330	488	546	503	396	429	476

F. Table of disease notifications and rates by District Health Board, 2002

Note: Blank cell denotes a value of zero

District Health Board	Northland	Waitemata	Auckland	Counties Manukau	Waikato	Lakes	Bay of Plenty	Tairāwhiti	Taranaki	Hawke's Bay	Wanganui	Midcentral	Hutt	Capital and Coast	Wairarapa	Nelson Marlborough	West Coast	Canterbury	South Canterbury	Otago	Southland
Campylobacteriosis	292	1799	1567	1196	1104	270	378	89	307	439	161	284	442	1088	75	214	84	1510	223	626	334
	208.4	418.6	426.1	318.5	347.4	281.3	212.2	202.4	298.0	305.8	253.2	183.2	335.2	442.5	196.3	174.7	277.3	353.6	422.5	366.6	323.1
Cryptosporidiosis	8	41	26	26	127	32	21	5	39	61	20	65	27	150	8	24	17	107	40	83	46
	5.7	9.5	7.1	6.9	40.0	33.3	11.8	11.4	37.9	42.5	31.4	41.9	20.5	61.0	20.9	19.6	56.1	25.1	75.8	48.6	44.5
Dengue fever		6	18	12	4	2	3		2		1	3	4	3	1			10		1	
		1.4	4.9	3.2	1.3	2.1	1.7		1.9		1.6	1.9	3.0	1.2	2.6			2.3		0.6	
Gastroenteritis	11	102	101	47	33	11	5	15	11	7	19	34	49	84	10	16	5	364	86	54	19
	7.9	23.7	27.5	12.5	10.4	11.5	2.8	34.1	10.7	4.9	29.9	21.9	37.2	34.2	26.2	13.1	16.5	85.2	162.9	31.6	18.4
Giardiasis	30	188	236	135	164	35	61	8	15	127	28	46	71	129	8	31	20	130	16	54	16
	21.4	43.7	64.2	35.9	51.6	36.5	34.2	18.2	14.6	88.5	44.0	29.7	53.8	52.5	20.9	25.3	66.0	30.4	30.3	31.6	15.5
Hepatitis A	2	17	29	20	17	2	1			5		2	5	2		2		2			1
	1.4	4.0	7.9	5.3	5.4	2.1	0.6			3.5		1.3	3.8	0.8		1.6		0.5			1.0
Hepatitis B	4	8	10	6	7	2	4	6	1	2	2	1	1	3	1	1		8		1	
	2.9	1.9	2.7	1.6	2.2	2.1	2.2	13.6	1.0	1.4	3.1	0.6	0.8	1.2	2.6	0.8		1.9		0.6	
Hepatitis C		3	2	3	1	5	16			2		1		9	1		3	4	2		
		0.7	0.5	0.8	0.3	5.2	9.0			1.4		0.6		3.7	2.6		9.9	0.9	3.8		
Lead Absorption	5	7	7	2	11		2	4	5	3	2	6	1	2	1	1		15	4	9	3
	3.6	1.6	1.9	0.5	3.5		1.1	9.1	4.9	2.1	3.1	3.9	0.8	0.8	2.6	0.8		3.5	7.6	5.3	2.9
Legionellosis	3	3	4	3	3	1	2		2	4	1		4	5	2	2		9	1	2	
	2.1	0.7	1.1	0.8	0.9	1	1.1		1.9	2.8	1.6		3	2.0	5.2	1.6		2.1	1.9	1.2	
Leptospirosis	9	6		2	22		8	7	6	28	4	12		1	2	12	2	6	7	6	2
	6.4	1.4		0.5	6.9		4.5	15.9	5.8	19.5	6.3	7.7		0.4	5.2	9.8	6.6	1.4	13.3	3.5	1.9
Listeriosis		3	3	2	1		2					1	1					4			1
		0.7	0.8	0.5	0.3		1.1					0.6	0.8					0.9			1.0
Malaria		6	3	4	7	3	2		1	1	2	10	1	5		2		7	2	3	1
		1.4	0.8	1.1	2.2	3.1	1.1		1.0	0.7	3.1	6.5	0.8	2.0		1.6		1.6	3.8	1.8	1.0
Measles		2	1	1	2		1							1		6	5	6			
		0.5	0.3	0.3	0.6		0.6							0.4		4.9	16.5	1.4			
Meningococcal disease	29	35	45	87	37	53	51	6	9	31	6	11	12	28	3	3	9	33	6	49	14
	20.7	8.1	12.2	23.2	11.6	55.2	28.6	13.6	8.7	21.6	9.4	7.1	9.1	11.4	7.9	2.4	29.7	7.7	11.4	28.7	13.5
Mumps	3	9	6	7	1	2	2			4	1		1	3		6	1	5	1	9	3
	2.1	2.1	1.6	1.9	0.3	2.1	1.1			2.8	1.6		0.8	1.2		4.9	3.3	1.2	1.9	5.3	2.9
Paratyphoid	4	5	2	2	2	1				2				2		2			1		1
	2.9	1.2	0.5	0.5	0.6	1.0				1.4				0.8		1.6			1.9		1.0
Pertussis	8	96	29	33	89	7	13	1	21	17	35	32	57	62	6	84	79	215	149	7	31
	5.7	22.3	7.9	8.8	28	7.3	7.3	2.3	20.4	11.8	55	20.6	43.2	25.2	15.7	68.6	260.8	50.3	282.3	4.1	30
Rheumatic fever	8	4	15	31	5	1	7	2	1	3	1		1	5	1			1			
	5.7	0.9	4.1	8.3	1.6	1.0	3.9	4.5	1.0	2.1	1.6		0.8	2.0	2.6			0.2			
Rubella	3		2	1	1		3		1	11			1	2		3	2	2		1	
	2.1		0.5	0.3	0.3		1.7		1.0	7.7			0.8	0.8		2.4	6.6	0.5		0.6	
Salmonellosis	48	173	172	151	139	57	60	40	48	86	38	58	48	143	23	138	16	215	43	98	73
	34.3	40.3	46.8	40.2	43.7	59.4	33.7	91.0	46.6	59.9	59.8	37.4	36.4	58.2	60.2	112.7	52.8	50.3	81.5	57.4	70.6
Shigellosis	2	14	26	23	4	3	1		2	7	1		1	4		1		13	4	5	1
	1.4	3.3	7.1	6.1	1.3	3.1	0.6		1.9	4.9	1.6		0.8	1.6		0.8		3.0	7.6	2.9	1.0
Tuberculosis	12	66	78	61	24	7	9	2	2	30	2	6	18	28	5	2		21	1	8	2
	8.6	15.4	21.2	16.2	7.6	7.3	5.1	4.5	1.9	20.9	3.1	3.9	13.7	11.4	13.1	1.6		4.9	1.9	4.7	1.9
Typhoid		2	3	4									13	14				18			
		1.4	0.5	2.7									0.8	1.2				0.2			
VTEC/STEC	1	3	5	3	15	4	6		5	2	1	1	1	4				18	1	1	2
	0.7	0.7	1.4	0.8	4.7	4.2	3.4		4.9	1.4	1.6	0.6	0.8	1.6				4.2	1.9	0.6	1.9
Yersiniosis	5	70	66	45	36	12	24	3	3	16	6	12	10	38	4	4	20	65	10	18	9
	3.6	16.3	17.9	12.0	11.3	12.5	13.5	6.8	2.9	11.1	9.4	7.7	7.6	15.5	10.5	3.3	66.0	15.2	18.9	10.5	8.7

Key:  Cases
 Rate per 100 000

G. Table of disease notifications and rates by health district, 2002

Note: Blank cell denotes a value of zero

Health District	Northland	North West Auckland	Central Auckland	South Auckland	Waikato	Eastern Bay of Plenty	Tairāngia	Rotorua	Gisborne	Taupo	Hawke's Bay	Ruapehu	Taranaki	Wanganui	Manawatu	Wairarapa	Wellington	Hutt	Nelson-Marlborough	West Coast	Canterbury	South Canterbury	Otago	Southland
Campylobacteriosis	295 211.0	1790 417.0	1568 426.0	1187 316.0	1088 353.0	64 131.0	312 242.0	177 274.0	88 200.0	94 298.0	440 307.0	17 119.0	314 304.0	156 267.9	260 177.0	75 196.0	1112 438.0	441 334.0	215 176.0	83 274.0	1424 355.0	321 411.0	608 366.0	360 333
Cryptosporidiosis	8 5.7	42 9.8	27 7.3	26 6.9	122 39.5	1 2.0	20 15.5	16 24.8	5 11.4	19 60.3	60 41.8	7 49.0	39 37.8	14 24.0	63 42.8	8 20.9	151 59.5	27 20.5	24 19.6	18 59.3	93 23.2	54 69.1	81 48.8	49 45.4
Dengue fever		6 1.4	18 4.9	12 3.2	4 1.3	1 2.0	2 1.5	1 1.6		1 3.2			2 1.9	1 1.7	3 2.0	1 2.6	3 1.2	4 3.0			10 2.5		1 0.6	
Gastroenteritis	11 7.8	102 23.7	102 27.7	47 12.5	33 10.7	1 2.0	4 3.1	6 9.3	15 34.1	5 15.9	7 4.9		11 10.7	19 32.5	33 22.4	10 26.1	84 33.1	49 37.2	17 13.9	5 16.5	362 90.1	89 113.9	54 32.5	18 16.7
Giardiasis	30 21.4	189 44.0	235 63.9	135 35.9	164 53.1	5 10.2	55 42.6	20 31.0	8 18.2	15 47.6	123 85.7		15 14.5	28 48.0	45 30.6	11 28.7	130 51.2	71 53.8	31 25.3	20 65.9	127 31.6	21 26.9	50 30.1	20 18.5
Hepatitis A	2 1.4	17 4.0	29 7.9	20 5.3	17 5.5	1 2.0		1 1.6		1 3.2	5 3.5				2 1.4		2 0.8	5 3.8	2 1.6		2 0.5		1 0.6	1 0.9
Hepatitis B	4 2.9	8 1.9	10 2.7	6 1.6	6 1.9		4 3.1		6 13.7	2 6.3	2 1.4	1 7.0	1 1.0	2 3.4	1 0.7	1 2.6	3 1.2	1 0.8	2 1.6		8 2.0		1 0.6	
Hepatitis C		3 0.7	2 0.5	3 0.8	1 0.3	1 2.0	15 11.6	4 6.2		1 3.2	2 1.4				1 0.7	1 2.6	9 3.5			3 9.9	4 1.0	2 2.6		
Lead Absorption	5 3.6	7 1.6	7 1.9	2 0.5	11 3.6		2 1.5		4 9.1		3 2.1		5 4.8	2 3.4	6 4.1	1 2.6	2 0.8	1 0.8	1 0.8		14 3.5	5 6.4	9 5.4	3 2.8
Legionellosis	3 2.1	3 0.7	4 1.1	3 0.8	1 0.3		2 1.5			1 3.2	4 2.8	2 14.0	2 1.9	1 1.7		2 5.2	5 2.0	4 3.0	2 1.6		8 2.0	2 2.6	2 1.2	
Leptospirosis	9 6.4	6 1.4		2 0.5	20 6.5	1 2.0	7 5.4		6 13.7		29 20.2	2 14.0	6 5.8	4 6.9	12 8.2	2 5.2	1 0.4		12 9.8	2 6.6	4 1.0	9 11.5	6 3.6	2 1.9
Listeriosis		3 0.7	3 0.8	2 0.5	1 0.3		2 1.5								1 0.7		1 0.8				3 0.7	1 1.3		1 0.9
Malaria		6 1.4	3 0.8	4 1.1	7 2.3		2 1.5	2 3.1		1 3.2	1 0.7	2 14.0	1 1.0		10 6.8		5 2.0	1 0.8	2 1.6		7 1.7	2 2.6	3 1.8	1 0.9
Measles		2 0.5	1 0.3	1 0.3	2 0.6		1 0.8										1 0.4		6 4.9	5 16.5	5 1.2	1 1.3		
Meningococcal disease	29 20.7	35 8.1	44 12.0	87 23.2	37 12.0	15 30.6	38 29.4	34 52.7	6 13.7	19 60.3	31 21.6	1 7.0	10 9.7	5 8.6	10 6.8	3 7.8	28 11.0	12 9.1	3 2.5	8 26.4	32 8.0	7 9.0	49 29.5	14 13.0
Mumps	3 2.1	9 2.1	6 1.6	7 1.9	1 0.3		2 1.5	2 3.1			4 2.8			1 1.7			3 1.2	1 0.8	6 4.9	1 3.3	4 1.0	1 1.3	9 5.4	4 3.7
Paratyphoid	4 2.9	5 1.2	2 0.5	2 0.5	2 0.6			1 1.6			2 1.4						2 0.8		2 1.6			1 1.3		1 0.9
Pertussis	8 5.7	97 22.6	28 7.6	33 8.8	89 28.8	3 6.1	10 7.7	3 4.7	1 2.3	4 12.7	17 11.8	1 7.0	22 21.3	34 58.2	32 21.7	6 15.7	62 24.4	57 43.2	83 67.8	79 260.4	205 51.0	159 203.5	5 3.0	33 30.5
Rheumatic fever	8 5.7	4 0.9	15 4.1	32 8.5	5 1.6	2 4.1	5 3.9	1 1.6	2 4.6		3 2.1		1 1.0	1 1.7		1 2.6	5 2.0	1 0.8			1 0.2			
Rubella	1 0.7	1 0.2	2 0.5	1 0.3		2 4.1	1 0.8				13 9.1		1 1.0				2 0.8	1 0.8	3 2.5	2 6.6	2 0.5		1 0.6	
Salmonellosis	48 34.2	174 40.5	172 46.8	150 39.9	136 44.1	22 44.8	38 29.4	35 54.3	40 91.0	22 69.8	86 59.9	6 42.0	47 45.6	36 61.7	57 38.7	23 60.1	144 56.8	48 36.4	137 111.9	16 52.7	187 46.6	72 92.1	93 56.0	80 74.1
Shigellosis	3 2.1	14 3.3	25 6.8	23 6.1	4 1.3		1 0.8	3 4.7			7 4.9		2 1.9	1 1.7			4 1.6	1 0.8	1 0.8		13 3.2	4 5.1	5 3.0	1 0.9
Tuberculosis	12 8.6	64 14.9	78 21.2	62 16.5	24 7.8		9 7.0	3 4.7	2 4.6	4 12.7	30 20.9		2 1.9	2 3.4	6 4.1	5 13.1	28 11.0	18 13.7	2 1.6		19 4.7	4 5.1	8 4.8	2 1.9
Typhoid		6 1.4	2 0.5	10 2.7													3 1.2	1 0.8			1 0.2			
VTEC/STEC	1 0.7	3 0.7	5 1.4	3 0.8	15 4.9	5 10.2	1 0.8	3 4.7		1 3.2	2 1.4		5 4.8	1 1.7	1 0.7		4 1.6	1 0.8			18 4.5	1 1.3	1 0.6	2 1.9
Yersiniosis	5 3.6	70 16.3	67 18.2	44 11.7	36 11.7	2 4.1	21 16.3	5 7.8	3 6.8	7 22.2	16 11.1	2 14.0	3 2.9	4 6.9	12 8.2	4 10.5	38 15.0	10 7.6	4 3.3	20 65.9	61 15.2	15 19.2	18 10.8	9 8.3

Key:  Cases
 Rate per 100 000