Verocytotoxin-producing £. coli [VTEC/STEC] confirmed by ERL in 2014 193 STEC confirmed in 2014 (170 £. coli O157) compared to 215 STEC in 2013 (192 £. coli O157).

					There	were 193 STEC confirm	ned in 2014 (170 £. col/)	U157) compared to 215		V U157).								
									DHS									1
erotype	Auckland	Bay of Plenty	Canterbury	Capital and Coast	Counties Manukau	Hawkes Bay	Hutt Valley	Lakes	MidCentral	Nekon Marlborough	Northland	South Canterbury	Southern	Taranaki	Walkata	Wairaraga	Waltemata	
157:107	33	10	20	7		2	2	5	7	6	11	5	10	6	35	1	2	4
9697																	1	_
226:H11															1			4
D26:HWM*										1								4
38:126	1				1													4
SR HVM BK-H2			2															4
38:12												1						4
0108:H25													1					4
0146-101					- 1													4
D176:HNM													2				-	4
0182:HVM												1	1					+
ONT*H2										1								4
ONT*92 ONT:96 ONT:921 ONT:99M			1															4
ONT:H21	- 1																	4
			- 1															4
Verocytotoxin detected by PCR*									1								1	_
otal	25	10	24		10						11		14		28			
⁸ NT: Non-Typable ⁹ Verocytotoxin was detected by PCR b		alata the lover																
Based on the information provided, or			outh Controlsons had MI															
) or 1. ton 0133 mon 20	aut Cantel du y nac no	-														
Household clusters (all confirmed to b I from OT: 2 cases	e E. coli 0157:H7):																	
from SC: 2 cases																		
I from MW: 2 cases																		
from TG: 2 cases																		
from TK: 2 cases																		
from RO: 2 cases																		
I from WN: 2 cases																		
2 from CB: 2 cases, 3 cases																		
2 from WK: 2 cases, 3 cases																		
3 from AK: 2 cases each																		