

National surveillance data - February 2006

Disease ¹	Current year - 2006 ²			Previous year - 2005		
	Feb 2006 cases	Cumulative total since 1 January	Current rate ³	Feb 2005 cases	Cumulative total since 1 January	Previous rate ³
AIDS ⁴	7	10	1.3	6	9	1.1
Campylobacteriosis	1454	3083	382.1	1287	2638	328.7
Cryptosporidiosis	24	67	24.1	44	57	16.9
Dengue fever	1	2	0.3	2	3	0.2
Gastroenteritis ⁵	129	197	17.0	42	119	34.6
Giardiasis	99	198	33.0	116	194	37.7
<i>H. influenzae</i> type b disease	0	0	0.2	0	0	0.1
Hepatitis A	16	49	2.4	7	11	1.3
Hepatitis B (acute) ⁶	1	9	1.7	2	7	0.9
Hepatitis C (acute) ⁶	4	7	0.9	2	5	0.6
Hydatid disease	0	0	0.1	0	0	0
Influenza ⁶	0	1	22.4	4	5	23.7
Lead absorption	8	19	2.2	5	8	2.3
Legionellosis	8	11	2.2	7	15	1.7
Leprosy	0	1	0.1	0	1	0.1
Leptospirosis	13	21	2.5	7	14	2.7
Listeriosis	0	6	0.5	3	6	0.7
Malaria	3	5	0.7	5	9	0.9
Measles	6	7	0.6	2	2	0.7
Meningococcal disease ⁸	9	17	5.6	15	35	9.3
Mumps	3	5	1.6	3	6	1.1
Paratyphoid fever	2	4	0.6	2	5	0.8
Pertussis	95	232	58.9	330	752	107.1
Rheumatic fever	2	16	2.2	11	13	2.0
Rickettsial disease	0	0	0	0	0	0.1
Rubella	0	0	0.3	1	1	0.5
Salmonellosis	159	304	39.2	139	223	28.5
SARS	0	0	0	0	0	0
Shigellosis	14	31	5.2	12	20	3.7
Tetanus	0	0	0	1	1	0.1
Tuberculosis	31	55	9.4	25	49	10.1
Typhoid fever	1	7	0.8	2	6	0.8
VTEC / STEC infection	8	16	2.6	8	11	1.9
Yersiniosis	34	78	10.9	37	77	10.4

Notes: ¹ Other notifiable infectious diseases reported in February : Nil

² These data are provisional.

³ Rate is based on the cumulative total for the current year (12 months up to and including February 2006) or the previous year (12 months up to and including February 2005), expressed as cases per 100 000

⁴ All Aids data is provisional. Further information is available from the Aids Epidemiology Group, University of Otago.

⁵ Cases of gastroenteritis from a common source or foodborne intoxication. Eg: staphylococcal intoxication

⁶ Only acute cases of this disease are currently notifiable

⁷ Surveillance data based on laboratory-reported cases only (as reported in ESR's Virology Weekly Reports)

⁸ These totals and rates are based on the EpiSurv report date as opposed to the earliest available date used in the meningococcal disease section